

Rheumatology Referral Form

Date: ______________________

Century Specialty Script
Fax Referral To: 877-521-5353
Phone: 800-521-3949

Patient Information

Patient Name: ____
Address: ____
City, State, Zip: ____
Home Phone: ____
Cell Phone: ____
DOB: _________________________
Gender: ☐ M ☐ F

Prescriber Information

Prescriber Name: ____
Address: ____
City, State, Zip: ____
Phone: ____
Fax: ____
DEA: ________________________ NPI #: _______________________
Contact Person: ____

Insurance Information

Primary Insurance: ____ ID#: ______________________ Group: _________________________
Secondary Insurance: ____ ID#: ______________________ Group: _________________________
Prescription Card: _________________ ID#: __________________ BIN#: ________ PCN#: ________ Group: _________________________

Clinical Information (Please fax all pertinent clinical and lab information)

☐ M06.9 (Rheumatoid Arthritis) ☐ M08.0 (Juvenile Idiopathic Arthritis) ☐ L40.59 (Psoriatic Arthritis) ☐ L40.54 (Psoriatic Juvenile Arthritis)
☐ M45.9 (Ankylosing Spondylitis) ☐ M32.9 (Systemic Lupus Erythematosis) ☐ Other: ____________________________________
Diagnosis Date: ______________________________________

Diagnosis and Clinical Assessment (Fill in below or attach lab work)

Joints Affected: ___________________________________ Number of Tender Joints: _________ CRP: _____________ Date: ___________
Number of Swollen Joints: _________ Current Weight: _______ Current Height: _______Date: _________ ESR: ________ Date: ________
☐ New Therapy Induction | Stop Date: _______________________________ ☐ Therapy Change | Stop Date: ________________________
☐ Therapy Continuation | Stop Date: ________________________________ ☐ Weeks Completed: ☐0 ☐ 2 ☐ 4 ☐ 6
Allergies: ____
TB Results & Date (Please provide copy of result): ____
☐ Bone Density Score & Date (Please provide a copy of results): ____

Medication	Dose Strength	Directions	Qty	Refills
Actemra	☐ Prefilled Syringe 162mg/0.9mL ☐ Auto Injector 162mg/0.9mL	☐ <100kg Inject 162mg/0.9mL SC every 2 weeks ☐ >100kg Inject 162mg/0.9mL SC every week		
Benlysta	☐ 10mg/kg ☐ 200mg PFS ☐ 200mg Autoinjector	☐ **IV Starter Dose:** Infuse 10mg/kg every 2 weeks for 3 doses ☐ **IV Maintenance:** Inject 10mg/kg every 4 weeks ☐ Inject 200mg SC once weekly (if switching from IV administer first SC dose 1-4 weeks after last IV dose)		
Cimzia	☐ Starter Kit ☐ Syringe ☐ Vial	☐ **Starter Dose:** Inject 400mg SC on week 0, 2, and 4 ☐ **Maintenance Dose:** Inject 200mg SC every 2 weeks ☐ **Maintenance Dose:** Inject 400mg SC once a month		
Cosentyx	☐ 150mg Sensoready Pen ☐ 300mg Sensoready Pen	☐ **Starter Dose:** Inject 150mg SC on week 0, 1, 2, 3, and 4 ☐ **Maintenance:** Inject 150mg SC every 4 weeks ☐ **Starter Dose:** Inject 300mg SC on week 0, 1, 2, 3, and 4 ☐ **Maintenance:** Inject 300mg SC every 4 weeks	☐ 5 ☐ 1 ☐ 10 ☐ 2	
Enbrel	☐ 25mg Syringe ☐ 0.25mg Vial ☐ 50mg Syringe ☐ 50mg SureClick Pen ☐ Mini 50mg/mL	☐ Inject 50mg SC every week ☐ Inject _________ mg(0.8mg/kg x______ kg) SC every week		
Evenity	☐ 105mg/1.17mL	☐ Inject 2 syringes (105mg each) for total dose of 210mg SQ once monthly	☐ 2	
Forteo	☐ 600mcg/2.4mL PFS	☐ **Maintenance:** Inject 20mcg SC once daily	☐ 1	
☐ Humira ☐ Adalimumab *(biosimilar)*	☐ 10mg Syringe ☐ 20mg Syringe ☐ 40mg/0.4mL Syringe ☐ 40mg/0.4mL Pen	☐ Inject 10mg SC every other week (10 to <15kg) ☐ Inject 20mg SC every other week (15 to <30kg) ☐ Inject 40mg SC every other week (30kg) ☐ Inject 40mg SC once weekly		

Prescriber Signature: ____ **DAW (Dispense as Written) Date:** _________________________

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intend recipient, please notify us immediately.



Rheumatology Referral Form	Century Specialty Script	
Date: ____________________	Fax Referral To: 877-521-5353 Phone: 800-521-3949	

Patient Information

Patient Name: ____
Address: ____
City, State, Zip: ____
Home Phone: ____
Cell Phone: ____
DOB: ________________________
Gender: ☐ M ☐ F

Prescriber Information

Prescriber Name: ____
Address: ____
City, State, Zip: ____
Phone: ____
Fax: ____
DEA: _______________________ NPI #: ______________________
Contact Person: ____

Insurance Information

Primary Insurance: ______________________________________ ID#: _____________________ Group: _________________________
Secondary Insurance: ____________________________________ ID#: _____________________ Group: _________________________
Prescription Card: ________________ ID#: __________________ BIN#: ________ PCN#: ________ Group: ________________________

Clinical Information (Please fax all pertinent clinical and lab information)

☐ M06.9 (Rheumatoid Arthritis) ☐ M08.0 (Juvenile Idiopathic Arthritis) ☐ L40.59 (Psoriatic Arthritis) ☐ L40.54 (Psoriatic Juvenile Arthritis)
☐ M45.9 (Ankylosing Spondylitis) ☐ M32.9 (Systemic Lupus Erythematosis) ☐ Other: ____
Diagnosis Date: _____________________________________

Diagnosis and Clinical Assessment (Fill in below or attach lab work)

Joints Affected: __________________________________ Number of Tender Joints: _________ CRP: _____________ Date: ___________
Number of Swollen Joints: _________ Current Weight: _______ Current Height: _______Date: _________ ESR: ________ Date: ________
☐ New Therapy Induction | Stop Date: _______________________________ ☐ Therapy Change | Stop Date: _______________________
☐ Therapy Continuation | Stop Date: _______________________________ ☐ Weeks Completed: ☐0 ☐ 2 ☐ 4 ☐ 6
Allergies: ____
TB Results & Date (Please provide copy of result): ____
☐ Bone Density Score & Date (Please provide a copy of results): ____

Medication	Dose Strength	Directions	Qty	Refills
Kevzara	☐ 150mg/1.14mL PFS ☐ 200mg/1.14mL Pen	☐ Inject 200mg SC once every 2 weeks ☐ Other:		
Krystexxa	☐ 8mg/mL	☐ Infuse 8mg in 250mL of NS over 120 minutes once every 2 weeks		
Olumiant	☐ 2mg Tablet ☐ 1mg Tablet	☐ Take one tablet PO daily		
Orencia	☐ 125mg Pen ☐ 250mg Vial ☐ 125mg Pen Syringe	☐ **IV Dosage:** Infuse _______mg at weeks 0, 2, 4 then every 4 weeks thereafter ☐ **SC Dosage:** Inject 125mg SC once a week		
Otezla	☐ Starter Pack ☐ 30mg Tablet	☐ **Starter Pack:** Use as directed ☐ **Maintenance Dose:** Take one tablet PO BID		
Prolia	☐ 60mg PFS	☐ Inject 1 syringe SC every 6 months		
☐ Avsola ☐ Inflectra ☐ Remicade ☐ Renflexis	☐ 100mg Vial	☐ **Loading Dose:** Infuse 5mg/kg at weeks 0, 2, & 6 ☐ **Maintenance Dose:** Infuse 5mg/kg every 8 weeks		
Rinvoq	☐ 15mg	☐ Take 1 tablet PO daily		
☐ Rituxan ☐ Truxima	☐ 100mg Vial ☐ 500mg Vial	☐ Infuse 1000mg on day 1 and day 15		

Prescriber Signature: ____ **DAW (Dispense as Written) Date:** ________________________

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intend recipient, please notify us immediately.



Rheumatology Referral Form

Date: ____________________

Century Specialty Script
Fax Referral To: 877-521-5353
Phone: 800-521-3949

Patient Information

Patient Name: ____
Address: ____
City, State, Zip: ____
Home Phone: ____
Cell Phone: ____
DOB: _________________________
Gender: ☐ M ☐ F

Prescriber Information

Prescriber Name: ____
Address: ____
City, State, Zip: ____
Phone: ____
Fax: ____
DEA: ________________________ NPI #: _______________________
Contact Person: ____

Insurance Information

Primary Insurance: _______________________________________ ID#: ______________________ Group: _________________________
Secondary Insurance: _____________________________________ ID#: ______________________ Group: _________________________
Prescription Card: _________________ ID#: __________________ BIN#: ________ PCN#: ________ Group: _________________________

Clinical Information (Please fax all pertinent clinical and lab information)

☐ M06.9 (Rheumatoid Arthritis) ☐ M08.0 (Juvenile Idiopathic Arthritis) ☐ L40.59 (Psoriatic Arthritis) ☐ L40.54 (Psoriatic Juvenile Arthritis)
☐ M45.9 (Ankylosing Spondylitis) ☐ M32.9 (Systemic Lupus Erythematosis) ☐ Other: ____
Diagnosis Date: ______________________________________

Diagnosis and Clinical Assessment (Fill in below or attach lab work)

Joints Affected: __________________________________ Number of Tender Joints: _________ CRP: _____________ Date: ___________
Number of Swollen Joints: _________ Current Weight: _______ Current Height: _______Date: _________ ESR: ________ Date: ________
☐ New Therapy Induction | Stop Date: ________________________________ ☐ Therapy Change | Stop Date: ________________________
☐ Therapy Continuation | Stop Date: ________________________________ ☐ Weeks Completed: ☐0 ☐ 2 ☐ 4 ☐ 6
Allergies: ____
TB Results & Date (Please provide copy of result): ____
☐ Bone Density Score & Date (Please provide a copy of results): ____

Medication	Dose Strength	Directions	Qty	Refills
Simponi/Simponi Aria	**Simponi:** ☐ SmartJect 50mg/0.5mL ☐ 50mg/0.5mL PFS **Simponi Aria:** ☐ 50mg/4mL Vial	**Simponi:** ☐ Inject 50mg SC once per month **Simponi Aria:** ☐ Infuse ____________mg(2mg/kg) IV over 30 minutes at 0 and 4 weeks, then every 8 weeks		
Stelara	☐ 45mg/0.5mL PFS ☐ 90mg/mL PFS	☐ Inject 45mg SC on Day 1 (<100kg) ☐ Inject 90mg SC on day 1 (>100kg) ☐ Inject 45mg SC on Day 29 and every 12 weeks thereafter (<100kg) ☐ Inject 90mg SC on Day 29 and every 12 weeks thereafter (>100kg)		
Taltz	☐ 80mg/mL AutoInjector	☐ **Starter Dose:** Inject 160mg SC on Day 1 ☐ **Maintenance:** Inject 80mg SC every 4 weeks		
Tremfya	☐100mg PFS ☐100mg One-Press autoinjector	☐ Inject SubQ 100 mg at weeks 0, 4, and then every 8 weeks thereafter.		
Tymlos	☐ 80mcg/0.04mL	☐ Inject 80mcg SC once daily into periumbilical region; give with supplemental calcium and vitamin D if dietary intake is not adequate	☐ 1-Prefilled Pen	
Xeljanz/XR	**Xeljanz:** ☐ 5mg Tablet **Xeljanz XR:** ☐ 11mg Tablet	**Xeljanz:** ☐ Take one tablet twice daily **Xeljanz XR:** ☐ Take one tablet once daily	☐ 60 ☐ 30	

Prescriber Signature: ____ **DAW (Dispense as Written)** **Date: ________________________**

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intend recipient, please notify us immediately.